

## TECHNICAL DATA SHEET

# GOLDSTAR<sup>®</sup> HEAVY DUTY TILE CLEANER

REQUIRES  
DILUTION

INDUSTRIAL

A high-alkaline cleaner and degreaser suitable for all tile natural stone and hard surfaces. Also suitable for most soft surfaces such as carpets.



## DESCRIPTION

**TAL Goldstar Heavy Duty Tile Cleaner** is an advanced formula, concentrated high-alkaline cleaner and degreaser. It effectively removes stubborn dirt, grease, grime, soap scum, body oils, etc. TAL Goldstar Heavy Duty Tile Cleaner is specially formulated to strip off synthetic and acrylic emulsion polishes from tiles and other hard surfaces, with minimal scrubbing. It can also be used to “spot clean” stains and marks before general cleaning with **TAL Goldstar Daily Tile Cleaner**. When diluted with clean water, **TAL Goldstar Heavy Duty Tile Cleaner** is suitable for use on all types of hard surfaces, including granite, porcelain, quarry, terracotta and natural stone tiles, as well as cement paving stones, corrugated iron, galvanized metal, painted surfaces, and most types of soft surfaces, including carpets.

## FEATURES

- Removes dirt, grease & grime
- Minimal scrubbing required
- Commercial & industrial use



THE SCIENCE  
BEHIND  
BEAUTIFUL SPACES

# TECHNICAL DATA SHEET

## GOLDSTAR® HEAVY DUTY TILE CLEANER

Revision Date: 5 MARCH 2025



### DESCRIPTION (Continued):

TAL Goldstar Heavy Duty Tile Cleaner can be used for heavy-duty cleaning of commercial and industrial floors, including factories, garages, kitchens, workshops, etc.

**Note:** This product is designed for the above-mentioned application only. TAL will not be liable for misuse or adulteration of the product.

### TECHNICAL DATA:

Type	Cleaner
Colour	Blue
Packaging	1L & 5L
Application Temperature Range (Ambient)	10°C - 30°C

### CAUTION:

- Not suitable for use on linoleum.
- Do not mix with other chemicals.
- Do not allow to freeze.

### PREPARATION:

It is important to ensure that floors and surfaces are thoroughly swept or dusted to remove all traces of surface dust, debris, etc.

### DILUTION (PER 1 LITRE OF CLEAN, COOL WATER):

General Cleaning	1:10 (100ml / 10 capfuls)
Stubborn/Ingrained Stains and Marks	Stronger concentrations may be required

### APPLICATION:

- **General Cleaning**  
After mixing **TAL Goldstar Heavy Duty Tile Cleaner** with the required quantity of cool clean water, soak the area to be cleaned with the **TAL Goldstar Heavy Duty Tile Cleaner** solution for at least 10 minutes. Stubborn or ingrained stains and marks may require light abrasion / scrubbing in a circular motion.  
Clean the area with a mop, changing the cleaning solution water frequently (ie when the water changes to a murky brown liquid) to ensure that the dirt is not redistributed or re-deposited on the tiles/surface.  
**Rinse the area afterwards with clean water to remove residual chemicals or dirt.** Allow the surface to dry completely before trafficking or usage.
- **Spot Cleaning**  
Dampen a clean cloth or sponge with the **TAL Goldstar Heavy Duty Tile Cleaner** solution and wipe the affected area. Stubborn or ingrained stains and marks may require light abrasion / scrubbing in a circular motion.  
**Rinse the area afterwards with clean water to remove residual chemicals or dirt.** Allow the surface to dry completely before trafficking or usage.
- **Industrial Cleaning**  
**TAL Goldstar Heavy Duty Tile Cleaner** is suitable for use with industrial floor cleaning machines and equipment.

### APPROXIMATE COVERAGE:

Varies considerably depending on dilution and application.

**IMPORTANT NOTICE:** TAL believes the information on this sheet to be correct – but does not guarantee its accuracy or completeness. Conduct your own tests of this product to determine its suitability for intended use. User assumes all risks and liability during testing and use of this product. In special cases, obtain professional advice. The only obligation of TAL shall be to replace any of this product proved to be defective in material. TAL shall not be liable for any injury, loss or damage, direct or consequential, relating to the use or inability to use this product. Except as expressly provided above, all products sold, and samples furnished without any warranty of merchantability or any other warranty, express or implied. TAL reserves the right to change the information on this datasheet. Please contact the TAL Technical Advice Centre on [taltech@tal.co.za](mailto:taltech@tal.co.za) or 0860 000 825 to ensure you have the latest version.

# TECHNICAL DATA SHEET

## GOLDSTAR® HEAVY DUTY TILE CLEANER

Revision Date: 5 MARCH 2025



### CLEANING:

Clean hands with warm, soapy water before the product dries.

### PACKAGING:

TAL Goldstar Heavy Duty Tile Cleaner is available in 1ℓ and 5ℓ plastic bottles.

### STORAGE & SHELF LIFE:

Ensure lid is tightly sealed and packaging is secure and upright.

Secure product when transporting to prevent accidental spillage.

When stored in the original sealed packaging in dry internal conditions between 10°C and 30°C and out of direct sunlight the product has a shelf life of 12 months from date of manufacture.

Never store directly on a concrete floor.

Do not allow to freeze.

### WARNING:

**Keep out of reach of children and pets. Do not ingest or inhale. If ingested – do not induce vomiting and seek medical help. Use only as directed. Do not mix with other chemicals. Avoid contact with skin and eyes. Wear appropriate PPE such as rubber gloves, eye protection and a face mask when using this product. Work in well-ventilated areas only. Dispose of this product in accordance with Local Regulations. Contact TAL for further Health & Safety information.**

### TAL TECHNICAL ADVICE CENTRE:

For advice or a detailed Materials and Methods Specification contact the TAL Technical Advice Centre on 0860 000 TAL(825), or e-mail [taltech@tal.co.za](mailto:taltech@tal.co.za).

Branches: Gauteng (011) 206-9700; Cape (021) 386-1810; Natal (031) 579-2263.

**NB: Ensure you have the latest version of this data sheet.**

### PRODUCT PERFORMANCE GUARANTEE:

TAL products are manufactured and tested to TAL procedures, which are maintained in line with Quality Control System Standards ISO 9001 and ISO 45001, and Environmental Management System ISO 14001. TAL products are guaranteed to be free from manufacturing defects and fit for design purposes.

Any guarantee with regard to the performance of **TAL Goldstar Heavy Duty Tile Cleaner** will be subject to the professional and practical application of the product in accordance with the instructions on the packaging and in the technical data sheet.

However, we have no influence over specific site conditions and therefore, if in doubt, the user must always carry out sufficient tests to satisfy himself/herself that the product is suitable for the intended purpose. In special cases, obtain professional advice.

**NOTE: We require timeous notification, in writing, of an alleged defect and the opportunity to assess and investigate the problem to our satisfaction prior to any remedial work whatsoever being carried out.**

**IMPORTANT NOTICE:** TAL believes the information on this sheet to be correct – but does not guarantee its accuracy or completeness. Conduct your own tests of this product to determine its suitability for intended use. User assumes all risks and liability during testing and use of this product. In special cases, obtain professional advice. The only obligation of TAL shall be to replace any of this product proved to be defective in material. TAL shall not be liable for any injury, loss or damage, direct or consequential, relating to the use or inability to use this product. Except as expressly provided above, all products sold, and samples furnished without any warranty of merchantability or any other warranty, express or implied. TAL reserves the right to change the information on this datasheet. Please contact the TAL Technical Advice Centre on [taltech@tal.co.za](mailto:taltech@tal.co.za) or 0860 000 825 to ensure you have the latest version.