

## TECHNICAL DATA SHEET

# GOLDSTAR<sup>®</sup> DAILY TILE CLEANER

REQUIRES  
DILUTION

LEMON  
FRESH

A water-based neutral tile and surface cleaner suitable for all tile and stone surfaces as well as vinyl and laminate floors.



### DESCRIPTION

**TAL Goldstar Daily Tile Cleaner** is an advanced formula, water-based neutral cleaning agent that removes dirt and grime from wall and floor tiles, including natural stone tiles, and can also be used on kitchen worktops.

**TAL Goldstar Daily Tile Cleaner** is suitable for use on all tiled surfaces, including granite, porcelain, quarry, terracotta and natural stone tiles, as well as cement paving stones, masonry surfaces and resilient flooring such as vinyl tiles and sheeting, LVT Planks, and laminate flooring,

**TAL Goldstar Daily Tile Cleaner** can be used for daily cleaning of tiles in domestic and commercial areas, including restaurants, kitchens, offices, etc.

It can be diluted and used by spray for cleaning of glass and mirror surfaces and can also be used on motor vehicles and other sprayed surfaces.

The gentle citrus-based streak-free formula leaves all surfaces looking and smelling clean and lemon-fresh.

**Note: This product is designed for the above-mentioned application only. TAL will not be liable for misuse or adulteration of the product.**

### FEATURES

- Removes dirt
- Streak free finish
- Lemon fresh fragrance



# TECHNICAL DATA SHEET

## GOLDSTAR® DAILY TILE CLEANER

Issue Date: 27 JANUARY 2025



### TECHNICAL DATA:

<b>Type</b>	Cleaner
<b>Colour</b>	Yellow
<b>Packaging</b>	1L & 5L
<b>Application Temperature Range (Ambient)</b>	10°C - 30°C

### CAUTION:

- **TAL Goldstar Daily Tile Cleaner** is not effective in removing cementitious deposits. **TAL Goldstar Grout Residue Remover** should be used for this type of application.
- May not be effective in removing oil stains.
- **Do not mix with other chemicals.**
- **Do not allow to freeze.**

### PREPARATION:

It is important to ensure that floors and surfaces are thoroughly swept or dusted to remove all traces of surface dust, debris, etc.

### DILUTION:

- Dilute 1:50 (20ml / 1 litre) with cool, clean water for general cleaning.
- Dilute 1:20 (50ml / 1litre) with cool, clean water for natural stone tiles.
- Dilute 1:10 (100ml / 1 litre) with cool, clean water for stubborn or ingrained stains and marks.

### APPLICATION:

After mixing **TAL Goldstar Daily Tile Cleaner** with the required quantity of clean water, apply to the floor or surface by means of a mop or damp sponge. Stubborn or ingrained stains and marks may require light abrasion / scrubbing in a circular motion.

Clean the area, changing the cleaning solution water frequently (ie when the water changes to a murky brown liquid) to ensure that the dirt is not redistributed or re-deposited on the tiles/surface.

**Rinse the area afterwards with clean water to remove residual chemicals or dirt.**

Allow the surface to dry completely before trafficking or usage.

### APPROXIMATE COVERAGE:

Varies considerably depending on dilution and application.

### CLEANING:

Clean hands and equipment with warm, soapy water before the product dries.

### PACKAGING:

**TAL Goldstar Daily Tile Cleaner** is available in 1ℓ and 5ℓ plastic bottles.

**IMPORTANT NOTICE:** TAL believes the information on this sheet to be correct – but does not guarantee its accuracy or completeness. Conduct your own tests of this product to determine its suitability for intended use. User assumes all risks and liability during testing and use of this product. In special cases, obtain professional advice. The only obligation of TAL shall be to replace any of this product proved to be defective in material. TAL shall not be liable for any injury, loss or damage, direct or consequential, relating to the use or inability to use this product. Except as expressly provided above, all products sold, and samples furnished without any warranty of merchantability or any other warranty, express or implied. TAL reserves the right to change the information on this datasheet. Please contact the TAL Technical Advice Centre on [taltech@tal.co.za](mailto:taltech@tal.co.za) or 0860 000 825 to ensure you have the latest version.

# TECHNICAL DATA SHEET

## GOLDSTAR® DAILY TILE CLEANER

Issue Date: 27 JANUARY 2025



### STORAGE & SHELF LIFE:

Ensure lid is tightly sealed and packaging is secure and upright.

Secure product when transporting to prevent accidental spillage.

When stored in the original sealed packaging in dry internal conditions between 10°C and 30°C and out of direct sunlight the product has a shelf life of 12 months from date of manufacture.

Never store directly on a concrete floor.

Do not allow to freeze.

### WARNING:

Keep out of reach of children and pets. Do not ingest or inhale. If ingested – do not induce vomiting and seek medical help. Use only as directed. Do not mix with other chemicals. Avoid contact with skin and eyes. Wear appropriate PPE such as rubber gloves, eye protection and a face mask when using this product. Work in well-ventilated areas only. Dispose of this product in accordance with Local Regulations. Contact TAL for further Health & Safety information.

### TAL TECHNICAL ADVICE CENTRE:

For advice or a detailed Materials and Methods Specification contact the TAL Technical Advice Centre on 0860 000 TAL(825), or e-mail [taltech@tal.co.za](mailto:taltech@tal.co.za).

Branches: Gauteng (011) 206-9700; Cape (021) 386-1810; Natal (031) 579-2263.

**NB: Ensure you have the latest version of this data sheet.**

### PRODUCT PERFORMANCE GUARANTEE:

TAL products are manufactured and tested to TAL procedures, which are maintained in line with Quality Control System Standards ISO 9001 and ISO 45001, and Environmental Management System ISO 14001. TAL products are guaranteed to be free from manufacturing defects and fit for design purposes.

Any guarantee with regard to the performance of **TAL Goldstar Daily Tile Cleaner** will be subject to the professional and practical application of the product in accordance with the instructions on the packaging and in the technical data sheet.

However, we have no influence over specific site conditions and therefore, if in doubt, the user must always carry out sufficient tests to satisfy himself/herself that the product is suitable for the intended purpose. In special cases, obtain professional advice.

**NOTE: We require timeous notification, in writing, of an alleged defect and the opportunity to assess and investigate the problem to our satisfaction *prior* to any remedial work whatsoever being carried out.**

**IMPORTANT NOTICE:** TAL believes the information on this sheet to be correct – but does not guarantee its accuracy or completeness. Conduct your own tests of this product to determine its suitability for intended use. User assumes all risks and liability during testing and use of this product. In special cases, obtain professional advice. The only obligation of TAL shall be to replace any of this product proved to be defective in material. TAL shall not be liable for any injury, loss or damage, direct or consequential, relating to the use or inability to use this product. Except as expressly provided above, all products sold, and samples furnished without any warranty of merchantability or any other warranty, express or implied. TAL reserves the right to change the information on this datasheet. Please contact the TAL Technical Advice Centre on [taltech@tal.co.za](mailto:taltech@tal.co.za) or 0860 000 825 to ensure you have the latest version.